



IMAGO Meeting Pad+

Superchange Your Meeting Productivity & Team Collaboration









IMAGO Flash

IMAGO Flash is IMAGO's proprietary video conference application built with rich capabilities and usability that promote consistent performance and user experience across any device and platform. IMAGO Flash is a fully secured, instant collaboration tool to have an effective virtual meeting, which enables a seamless experience of setting up or joining a video call at your fingertips, wherever, whenever with just 1 single application.

Why IMAGO Flash?

- Instant Virtual Meeting Join or host a virtual meeting in
- Supports any web browser on any device No additional application or plugin is required for the host or participants.
- Scalability and higher video quality for meeting collaboration with Hybrid private cloud.
- · Seamless video sharing.
- Built-in collaborative whiteboard (IMAGO Collab) with co-editing feature.
- Comes with an interactive polling feature & breakout rooms.











IMAGO Smart Present

tools they need to have a seamless presentation experience from a traditional physical meeting. The host can moderate how users engage either in 1:1 mode or team collaboration. The host can also easily manage how users can share their screens and collaborate.

IMAGO Smart Present supports collaboration from any device, making your interaction with any IMAGO all-in-one system easy.

Benefits include:

- Collaborative tools for interactive & fun sharing.
- Share your ideas effortlessly with real-time screen mirroring up to 9 devices.
- 100 devices or more .
 Sharing is made even easier with high compatibility with multiple OS: Android, iOS, Windows, Mac & Chrome.









A virtual whiteboard for live collaborations with a

feature-rich library. IMAGO Collab is a lightweight virtual whiteboard that enables distributed teams to work together effectively and seamlessly.

Compatible with any device and browsers.

IMAGO Collab works on any device, from laptops to desktops, tablets, and mobile devices. It is also optimised for all browsers from Chrome to Safari and Edge.

Never too Far to Collaborate.

Collab empowers remote, onsite, and hybrid teams to communicate and collaborate across various formats, tools, channels, and time zones - without the constraints of a physical location, meeting space and whiteboards

Supercharge Your Brainstorming Sessions.

IMAGO Collab is equipped with templates and a feature-rich sketching library to facilitate effective brainstorming sessions or team discussions. For example, users can start their brainstorming session quickly and efficiently by simply importing their favourite brainstorming or mind-mapping templates from the library without having to create one from scratch.







IMAGO Work

A Secured & Reliable File-Sharing & Collaboration Solution.

IMAGO Work is a secured and reliable productivity platform for file sharing that keeps team members in sync by allowing users to collaborate in a real-time manner on documents and project

IMAGO Work is equipped with rich collaboration features that empower remote and distributed teams to share effectively despite the distance.

These features include file preview, file access control, file locking, online editing with remote collaboration, user management and single sign-on, cross-platform file syncing, data backup and recovery.

SPECIFICATIONS

Mary	Model	IMB-65-ENT+	IMB-75-ENT+	IMB-86-ENT+	IMB-98-ENT+	
Series						
March		65**			98"	
States 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988 1988						
Name Section 1987 Orange 1987 1987						
Marcian Mar						
Name of the State of State of the State of the State of the State of						
Protect						
### 1898 ***						
Money Controll Service of			4mm Toughened Gl	ass Surface Protection		
Search	RGB Signal		VGA/ SVGA/XV	GA/SXGA/WUXGA		
Animate	CONNECTIVITY (INPUT)					
## Standard	HDMI Input 2.0			х3		
Problement						
522 62 1623 62 1624 62 1627 62 1628 62 1629 62 1620 62 1620 62 1620 62 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620 72 1620						
Page						
Minor Min						
Protection Pr						
Para						
## Company						
Probation of Section 1981						
4840 bayan 1870 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 1970 19	DP Touch					
Medical Carlo Section Section	CONNECTIVITY (OUTPUT)					
NAME	HDMI Output 2.0			x1		
Near Part		xt				
Sinch Station Book Station Signals Station Signals <th co<="" td=""><td></td><td colspan="4">x1</td></th>	<td></td> <td colspan="4">x1</td>		x1			
Sear- March Sear- March Otto Delay Colspan="3">Sear- March Otto Delay Colspan="3"						
Name Procession of the color o						
With District Side 1 Test Billion Side 1 Carris Side Side Side Side Side Side Side Side						
Final Biological Proposed Inc. Septimization of the Septimiza						
Report Rode 1 His Site Horizon Ho						
General Packins of P						
Protein Stranger (Auronage (Auro						
32 No wall subside the Sack Sack Sack Sack Sack Sack Sack Sack		1mm				
3 to New York State Stat	Interface to Computer (External)	USB (Touch Out) x 2				
Bit Indication processing to the Transity Supported wide band addis 8 oth cancellation with Transity Supported wide band addis 8 oth cancellation with Transity Supported Wide band addis 8 oth cancellation with Transity Supported Wide band addis 8 oth cancellation with Transity Supported Wide band addis 8 oth cancellation with Transity Supported Wide band addis 8 oth cancellation with Transity Supported Wide Band addis 8 oth cancellation with Transity Supported Wide Band Supported Wide	SOUND					
Built N Camera 13 Megiphies 10 wick angle Camera Regulation 14 Megiphies 10 wick angle Camera Regulation 15 Megiphies 10 wick angle Processor Processor Build Code 25 Code 10		2 x 10 watts , 1 x 15 watts subwoofer				
The elemental process of the elemen	·	8x built-in beamforming microphones coverage up to 12 meters, supported wide band audio & echo cancellation				
Camera Reduition 15 Vertical Agistment 15 Vertical Agistment 16 Vertical Agis						
Center Adjustment To Processing Processing To Receive Processing Processing To Receive Processing Processing To Receive Processing Processing To Receive Processing Processing To All Processing Processing To All Processing Processing To All Processing						
Processing Processing Segment of Tributions Segment of Segment of Tributions Segment of Segment						
Processor Intelligence of Control (1971) (April)						
Storage 1		Intel Core IS / Core I7 (11th Gen)				
All Port No Processor All Processor All Processor Colspan="4">Colspan="4" All Sig Stack Core 2.2004tz) Colspan="4">Colspan="4">Colspan="4">All Sig Stack Core 2.2004tz) Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspan="4">Colspa	RAM	8 GB / 16 GB				
740000 Processor Octa-Core with pair of Quade. To Schale Core 2286 Hz.) Groppics Processor Octa-Core with pair of Quade. To Schale Core 2286 Hz.) RAM. Schale Core 2286 Hz. Schale Core with pair of Quade. To Schale Core 2286 Hz. Schale Core voice (ASA) ACM Core voice (ASA) Schale Core voice (ASA) Schale Core voice (ASA) ACM Core voice (ASA) ACM Core voice (ASA) MAGO Small Present MAGO Small Pr	Storage	128 GB / 256 GB SSD				
NoteStoresion Graphics Processor Octa-Core with pair of Quador-Cream Mail-Gog Storage Sorage MET AG IS Sorage MET AG IS Sorage MET AG IS	LAN Port	xi				
Processor Octa-Core with pair of Quad core >73 & A53 (Each Core 2.28GHz) Craphics Processor Octa-Core with pair of Quad core >73 & A53 (Each Core 2.28GHz) RAM B GB Storage 128 GB Wiff 128 GB Wiff Octave Processor And roid Version And roid Version Sulfords Sulfords Sulfords And roid Version Sulfords MRGO Smaxt Present		2.4Ghz & 5Ghz				
Octa-Cre Mall-GS2 RAM B GB Storage C STORAGE STORAG		Day 6				
8 GB Storage 128 GB WIFI 24 SL, 6.0 Bluetooth SUBSTANDING STORAGE ST						
Storage 128 GB WIFI 24, 5.0, 6.0 Bilectools 5.0 Android Version 11.0 Solutions MAGO Smart Present Mark GO Smart Present Wireless display up to 9, Reverse broadcast up to 100 IMAGO Flash Smart Present July Final Meeting account an arrange of the participants MAGO Work Embedded Power Supply Fower Colspan="4">AC 110 2 50 participants Power Consumption 180 watt 480 watt						
WIFI WIFI 24, 50, 60 Bluetooth 5.0 Android Version 11.0 Solutions Wireless display up to 9, Reverse broadcast up to 100 IMAGO Flash Wireless display up to 9, Reverse broadcast up to 100 IMAGO Flash Solution MAGO Volks Embedded Embedded Fower Supply AC 110-25 MoRPLE Power Supply AC 110-25 MORPLE Power Consumption 180 watt A 270 watt 4 50 watt 4 80 watt Mediantical Dimensions (W x H x D) mm 1 484 x903 x87 1 706x1027x87 1 952x118x87 2216x1314x104 Mediantical Mediantical Local						
50 leteroth of Marker of Description 50 leteroth of Marker of Description Marker of Span Present Marker of Span Present <th colspa<="" td=""><td></td><td></td><td></td><td></td><td></td></th>	<td></td> <td></td> <td></td> <td></td> <td></td>					
Android Version 1.00 Solutions IMAGO Smart Present Wireless display up to 9, Reverse broadcast up to 100 IMAGO Flash 1 Virtual Meeting account can be up to 50 participants IMAGO Collab Embedded IMAGO Work Embedded Fower Supply Fower Supply AC 110-24 Signature Power Consumption 180 watt 270 watt 450 watt 480 watt Mechanical Umensions (W xH xD) mm 1484 903 x87 1706x1027 x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included in the Box Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket						
IMAGO Smart Present Wireless display up to 9, Reverse broadcast up to 100 IMAGO Flash 1 Virtual Meeting account → brut up to 50 participants IMAGO Collab Embedded IMAGO Work Embedded Power Supply Power Supply AC 210-24 → 50/60H2 Power Consumption 180 watt 270 watt 450 watt 480 watt Mechanical Mechanical Weight (kg) 1484903x87 1706x1027x87 1952x116x87 2216x1314x104 Meeting account (kg) 51 kg 66 kg 90 kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Uylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle		11.0				
IMAGO Flash 1 Virtual Meeting account → brut up to 50 participants IMAGO Collab Embedded IMAGO Work Embedded Power Supply Power Supply AC 210-24 → 50/60Hz Power Consumption 180 watt 450 watt 480 watt Mechanical Dimensions (Wx Hx D) mm 1484903x87 1706x1027x87 1952x116x87 2216x1314x104 Weight (kg) 4 2 kg 5 1 kg 6 6 kg 90 kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories	Solutions					
MAGO Collab Embedded IMAGO Work Embedded Power Supply Power Consumption 180 watt 270 watt 450 watt 480 watt Mechanical Dimensions (Wx Hx D) mm 1484903x87 1706x1027x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1	IMAGO Smart Present	Wireless display up to 9, Reverse broadcast up to 100				
MAGO Work Embado Work Power Supply AC 110-24 50/60Hz Power Consumption 180 watt 270 watt 450 watt 480 watt Mechanical Dimensions (Wx Hx D) mm 1484903x87 1706x1027x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle	IMAGO Flash	1 Virtual Meeting account can host up to 50 participants				
Power Supply Power Consumption 180 watt 270 watt 450 watt 480 watt Mechanical Dimensions (Wx Hx D) mm 1484903x87 1706x1027x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included In the Box Accessories Pack Power Cable, Remote Control, ≥ Xs/us Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle	IMAGO Collab	Embedded				
Power Cupuply AC 110-24 USB Guest Power Consumption 180 watt 270 watt 450 watt 480 watt Mechanical Dimensions (Wx Hx D) mm 1484903x87 1706x1027x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Usylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle		Embedded				
Power Consumption 180 watt 270 watt 450 watt 480 watt Mechanical Dimensions (Wx Hx D) mm 1484x903x87 1706x1027x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included in the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories 1 USB Guest Dongle						
Mechanical Dimensions (Wx Hx D) mm 1484x903x87 1706x1027x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included in the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle						
Dimensions (Wx Hx D) mm 1484x903x87 1706x1027x87 1952x1168x87 2216x1314x104 Weight (kg) 42 kg 51 kg 66 kg 90 kg Included in the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle		180 watt	270 watt	450 watt	480 watt	
Weight (kg) 42 kg 51 kg 66 kg 90 kg Included in the Box Accessories Pack Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories USB Guest Dongle		1/19/1/002-07	1706v1037v07	1053;4140;407	2216:4214:404	
Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle						
Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle		72 NY	21 Ng	- CO kg	30 kg	
Optional Accessories Accessories 1 USB Guest Dongle			Power Cable, Remote Control (ex Stylus Pen, Wall Mount Bracket		
Accessories 1 USB Guest Dongle						
			USB Gu	est Dongle		
	Accessories 2					





sales@imagotechs.com

Follow us



